

Safety data sheet

Page: 1/16

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0

Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Formidor®

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: biocide

1.3. Details of the supplier of the safety data sheet

Company:
BASF plc
4th and 5th Floors
2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0 Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:



Signal Word: Warning

Hazard Statement:

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Precautionary Statements (Response): P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal

contractor or collection site except for empty clean containers which can

be disposed of as non-hazardous waste.

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0 Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Biocidal product, insecticide

Hazardous ingredients (GHS)

fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-

pyrazole-3-carbonitrile

Content (W/W): 0.05 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 120068-37-3 Acute Tox. 3 (oral) EC-Number: 424-610-5 Acute Tox. 3 (dermal)

INDEX-Number: 608-055-00-8 STOT RE (Central nervous system) 1

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1000 M-factor chronic: 10000

H330, H301 + H311, H372, H400, H410

Sucrose

Content (W/W): < 50 % CAS Number: 57-50-1 EC-Number: 200-334-9

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0

Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Remove contaminated clothing. Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

On contact with eyes:

Rinse immediately with water at least for 15 minutes under running water with eyelids held open. Always check and remove contact lenses. Immediately call a POISON CENTER/doctor.

On ingestion:

Rinse mouth thoroughly with water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, sulfur oxides, halogenated compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0 Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container at temperature not exceeding 35 °C. Protect from the effects of light.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0 Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-50-1: Sucrose

STEL value 20 mg/m3 (WEL/EH 40 (UK)) TWA value 10 mg/m3 (WEL/EH 40 (UK)) STEL value 20 mg/m3 (WEL/EH 40 (UK)) Ceiling limit value/factor: 15 min

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid Colour: white

Odour: characteristic

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0

Date / First version: 01.05.2017

Product: **Formidor**®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 7 - 9

(20 °C)

Melting point:

The product has not been tested.

Boiling point:

The product has not been tested.

Flash point: > 400 °C

Evaporation rate:

not applicable

Flammability: not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: > 350 °C

The product has not been tested.

The statement has been derived from

the properties of the individual

components.

Vapour pressure:

The product has not been tested.

Density: approx. 1.23 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic: 80 - 100 mPa.s Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0

Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Of low toxicity after short-term skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data: LD50 rat (oral): > 2,002 mg/kg

LD50 rat (dermal): > 2,002 mg/kg

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Experimental/calculated data:

LC50 rat (by inhalation): 0.36 mg/l 4 h (OECD Guideline 403)

Tested as dust aerosol.

Irritation

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0 Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

Assessment of irritating effects: Not irritating to eyes and skin.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization: No sensitizing effect.

Experimental/calculated data: guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

time to time.

Date / Revised: 05.07.2023 Version: 5.0
Date previous version: 03.11.2021 Previous version: 4.0

Date previous version: 03.11.2021 Previou Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment of repeated dose toxicity:

Causes mortality and signs of neurotoxicity through prolonged or repeated exposure.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Toxicity to fish:

LC50 (96 h) 0.0852 mg/l, Lepomis macrochirus

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0 Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Aquatic invertebrates:

EC50 (48 h) 0.19 mg/l, Daphnia magna

EC50 (96 h) 0.00017 mg/l, Mysidopsis bahia

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Aquatic plants:

EC50 (72 h) 0.103 mg/l (growth rate), Scenedesmus subspicatus

No observed effect concentration (14 d) > 0.16 mg/l, Lemna gibba

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Chronic toxicity to fish:

No observed effect concentration (35 d) 0.0029 mg/l, Cyprinodon variegatus

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (28 d) 0.000008 mg/l, Mysidopsis bahia

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Bioaccumulation potential:

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0 Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

Bioconcentration factor (BCF): 321, Lepomis macrochirus Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore

contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0

Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Inland waterway transport

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group: III
Environmental hazards: yes

Special precautions for No

user:

None known

Transport in inland waterway vessel

Not evaluated

Sea transport

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0

Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

IMDG

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group:

Ш Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group: Ш Environmental hazards: ves

None known Special precautions for

user:

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0 Date / First version: 01.05.2017

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

UK REACH SI, Annex XVII, Marketing and Use Restrictions Number on List: 3

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

time to time.

Date / Revised: 05.07.2023 Version: 5.0

Date previous version: 03.11.2021 Previous version: 4.0

Date / First version: 01.05.2017 Product: **Formidor**®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 06.07.2023

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Aquatic Chronic Hazardous to the aquatic environment - chronic

Acute Tox. Acute toxicity

STOT RE Specific target organ toxicity — repeated exposure Aquatic Acute Hazardous to the aquatic environment - acute Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H330 Fatal if inhaled.

H301 + H311 Toxic if swallowed or in contact with skin.

H372 Causes damage to organs (Central nervous system) through prolonged

or repeated exposure.

H400 Very toxic to aquatic life.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization, DNEL = Derived No Effect Level, EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships, NEN = Dutch Norm, NOEC = No Observed Effect Concentration, OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.