

Safety data sheet

Page: 1/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Formidor®

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: biocide

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Aquatic Acute 1 Aquatic Chronic 1

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

H400, H410

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word:

Warning

Hazard Statement:

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Precautionary Statements (Prevention):

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Precautionary Statements (Response): P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one; 1,2-

benzisothiazolin-3-one

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Biocidal product

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-

pyrazole-3-carbonitrile

Content (W/W): 0.05 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 120068-37-3 Acute Tox. 3 (oral) EC-Number: 424-610-5 Acute Tox. 3 (dermal)

INDEX-Number: 608-055-00-8 STOT RE (Central nervous system) 1

Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 1000
M-factor chronic: 10000

H311, H330, H301, H372, H400, H410

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

Content (W/W): < 1 % Acute Tox. 4 (oral)
CAS Number: 2634-33-5 Skin Corr./Irrit. 2
EC-Number: 220-120-9 Eye Dam./Irrit. 1
INDEX-Number: 613-088-00-6 Skin Sens. 1
Aquatic Acute 1

Aquatic Acute 1 M-factor acute: 10

H318, H315, H302, H317, H400

Specific concentration limit: Skin Sens. 1: >= 0.05 %

Sucrose

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

Content (W/W): < 45 % CAS Number: 57-50-1 EC-Number: 200-334-9

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

5.2. Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-50-1: Sucrose

STEL value 20 mg/m3 (WEL/EH 40 (UK)) TWA value 10 mg/m3 (WEL/EH 40 (UK))

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

Form: liquid Colour: white

Odour: characteristic

Odour threshold:

Not determined due to potential health hazard by inhalation.

pH value: approx. 5 - 7

(20 °C)

Melting temperature:

The product has not been tested.

Boiling point:

The product has not been tested.

Flash point: > 400 °C

Evaporation rate:

not applicable

Flammability: not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use. approx. 405 °C

Ignition temperature: Vapour pressure:

The product has not been tested.

The statement has been derived from the properties of the individual

components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile Vapour pressure: approx. 0.002 mPa

(25 °C)

Density: approx. 1.23 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic:

not determined

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 2,002 mg/kg

LC50 rat (by inhalation):

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

The product has not been tested. The statement has been derived from the properties of the individual components.

LD50 rat (dermal): > 2,002 mg/kg

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Experimental/calculated data:

LC50 rat (by inhalation): 0.36 mg/l 4 h (OECD Guideline 403)

Tested as dust aerosol.

<u>Irritation</u>

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment of repeated dose toxicity:

Causes mortality and signs of neurotoxicity through prolonged or repeated exposure.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Toxicity to fish:

LC50 (96 h) 0.0852 mg/l, Lepomis macrochirus

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile Aquatic invertebrates:

EC50 (48 h) 0.19 mg/l, Daphnia magna

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

EC50 (96 h) 0.00017 mg/l, Mysidopsis bahia

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Aquatic plants:

EC50 (72 h) 0.103 mg/l (growth rate), Scenedesmus subspicatus

No observed effect concentration (14 d) > 0.16 mg/l, Lemna gibba

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Chronic toxicity to fish:

No observed effect concentration (35 d) 0.0029 mg/l, Cyprinodon variegatus

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (28 d) 0.000008 mg/l, Mysidopsis bahia

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Bioaccumulation potential:

Bioconcentration factor: 321, Lepomis macrochirus

Accumulation in organisms is expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group:

Environmental hazards: yes

Special precautions for

user: None known

RID

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group:

Environmental hazards: yes

Special precautions for

None known

user:

Inland waterway transport

ADN

UN number UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for None known

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

user:

Air transport

IATA/ICAO

UN number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, FIPRONIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: ves

Special precautions for None known

user:

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
Ship Type:
Not evaluated
Not evaluated
Not evaluated
Not evaluated
Not evaluated

Further information

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this MSDS.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Aquatic Acute Hazardous to the aquatic environment - acute
Aquatic Chronic Hazardous to the aquatic environment - chronic

Acute Tox. Acute toxicity

STOT RE Specific target organ toxicity — repeated exposure

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Sens. Skin sensitization

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H311 Toxic in contact with skin.

H330 Fatal if inhaled. H301 Toxic if swallowed.

H372 Causes damage to organs (Central nervous system) through prolonged

or repeated exposure.

H318 Causes serious eye damage.

H315 Causes skin irritation. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

Page: 16/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 14.05.2018 Version: 2.0

Product: Formidor®

(ID no. 30674541/SDS_GEN_GB/EN)

Date of print 21.08.2018

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.