READY TO USE

Contains: 0.23% w/w Permethrin

For Professional Use Only. For use only as an Insecticide.

FLYMAX[®]

Kills

Flying Insect Flies Wasps Mosquitoes Moths Midges Gnats

Crawling Insects Bed Bugs Fleas Beetles Book Lice



Barrettine

St. Ivel Way, Warmley, Bristol BS30 8TY Tel: 0117 967 2222 Fax: 0117 961 4122 email: beh@barrettine.co.uk Web: www.barrettine.co.uk

HSE No. 8903

FLYMAX[®]

Areas of Use:

Insecticide For Professional Use against Insects such as Flies, Wasps, Mosquitoes, Midges, Gnats, Fleas, Beetles, Bedbugs, Moths and Booklice by application in Domestic, Commercial and Industrial Premises such as Hospitals (unoccupied wards only), Hotels, Food Factories, Refuse Storage Areas, Tips and Farm Buildings

Application:

As a space spray: Apply 1 litre of product per 300 cubic metres of treatable volume As a Surface spray: Apply 1 litre of product per 100 square metres of surface

Statutory conditions relating to use:

FOR USE ONLY BY PROFESSIONAL OPERATORS. The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably protecticable in addition to the following items of personal protective equipment. Wear suitable protective clothing and suitable gloves. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDER REGULARLY. DO NOT BREATHE FOG OR SPRAY MIST. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53 'Respiratory Protective Equipment - a practical guide for users''). However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. KEEP AWAY FROM TREATED SURFACES UNTIL DRY.

This material and its container must be disposed of in a safe way. Do not empty into drains.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Use only in well ventilated areas. REMOVE OR COVER ALL FISH TANKS AND BOWLS before application. This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALLES. DO NOT APPLY DIRECT TO ANIMALS. EXCLUDE ANIMALS DURING APPLICATION. HAZARDOUS TO BEES. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT. DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY. Protect milk machinery and milk containers from contamination

THIS PRODUCT IS APPROVED UNDER THE CONTROL OF PESTICIDE REGULATIONS 1986 FOR USE AS DIRECTED

READ ALL PRECAUTIONS BEFORE USE

HSE NO.8903

Precautions

USE ONLY AS DESCRIBED ON THE LABEL. WASH ANY CONTAMINATION from skin or eyes immediately. WASH HANDS AND EXPOSED SKIN before meals and after use. Kee eou only in original container. Keep container tightly closed. KEEP IN A SAFE PLACE. Keep cut of the reach of children. Keep away from food, drink and animal feeding stuffs. VENTILATE TREATED AREAS THOROUGHLY after application. Keep away from sources of ignition- No smoking. COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

Health & Safety:

Barrettine

For use only as an insecticide. Harmful: May cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. This product must not be used on houseflies in intensive or controlled environment animal houses because it is likely to cause control failure due to insecticide resistance. Contains permethrin. May produce an allergic reaction.

