# **Goliath<sup>®</sup> Gel**

## Contains 0.05% w/w (0.5g/kg) fipronil A ready to use insecticidal gel bait for the control of cockroaches in public hygiene.

STATUTORY CONDITIONS RELATING TO USE FOR USE ONLY AS AN INSECTICIDE FOR USE ONLY BY PROFESSIONAL OPERATORS. FOR INDOOR USE ONLY. APPLICATION RATE : Up to 3x0.03 g of product per square metre depending on species present and level of infestation. A spot of gel 3–4 mm in diameter weighs approximately 0.03 g. The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work - UK only. USE ONLY in positions inaccessible to children and animals. DO NOT USE where food, feed or water could become contaminated. DO NOT APPLY in or around drains. This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container. This material and its container must be disposed of in a safe way. HSE No. 6514 READ ALL PRECAUTIONS BEFORE USE PCS No. 94727

## 4 x 35 g

Goliath® Gel may be used to control cockroaches in: Domestic premises (including kitchens) Food handling areas (i.e. for food processing, storage and p premises, commercial kitchens, restaurants, food storage, wa Public Buildings such as hotels, hospitals, prisons, theatres, Public Buildings such as hotels, hospitals, prisons, theatres, theatres, the storage and p

d processing, storage and preparation) such as food manufacturing restaurants, food stores, warehouses, retail outlets etc.

such as factories, shops, workshops, aircraft, vehicles,

railway

Goliath<sup>®</sup> Gel is effective against German cockroaches (*Blattella germanica*), Oriental cockroaches (*Blatta orientalis*) and American cockroaches (*Periplaneta americana*) both as nymphs and adults

stock and Commercial and

l ships

Industrial premises

R = Registered trademark of BASE

UK Marketing Company: BASF plc, PO Box 4, Earl Road, Cheadle Hulme, CHEADLE, Cheshire SK8 6QG, Tel: 0161 485 6222, Technical Enguiries: 0845 602 2553

Irish Marketing Company: BASF Ireland Limited, PO Box 4, Earl Road, Cheadle Hulme, Cheadle, Cheshire SK8 6QG, Telephone: 01 825 5701, Fax: 01 825 2038

Emergency information (24 hours freephone): 00 49 180 22 73 112

## 81089096GB1084

The Chemical Company

IC ORGANISMS, MAY ADVERSE EFFECTS IN THE HARMFUL TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN COUGTIC ENVIRONMENT. To avoid risks to man and the environment, comply with the instructions for use.





## **Goliath® Gel**

## 4 x 35 q

HSE No 651

Contains 0.05%w/w (0.5 g/kg) fipron

A ready to use insecticidal gel bait for the control of cockroaches in public hygiene

HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. To avoid risks to human health and the environment, comply with the instructions for use. STATUTORY CONDITIONS RELATING TO USE

## FOR USE ONLY AS AN INSECTICIDE FOR USE ONLY BY PROFESSIONAL OPERATORS. FOR INDOOR USE ONLY.

FOR INDOOR USE ONLY. APPLICATION RATE : Up to 3 x0.03 g of product per square metre depending on species present and level of infestation. A spot of gel 3–4 mm in diameter weighs approximately 0.03 g. The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. - UK only. USE ONLY in positions inaccessible to children and animals. DO NOT USE where food, feed or water could become contaminated. DO NOT APPLY in or around drains. This product contains substances which are known to be hazardous to the environment. Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

DO NOT APPLY in or around grains. This product contains substances which are known to be hazardo waterbodies or watercourses with chemicals or used container. This material and its container must be disposed of in a safe way

## READ ALL PRECAUTIONS BEFORE USE

PCS No. 94727 This product is approved under The Control of Pesticides Regulations 1986 (UK only) for use as directed.

This product is approved under The Control of Pesticides Regulations 1986 (UK only) for use as directed.

Directions for use
Goliath® Gel is effective against German cockroaches (*Blattella germanica*), Oriental cockroaches (*Blatta orientalis*) and
American Cockroaches (*Penplaneta americana*) both as nymphs and adults.
Goliath® Gel may be used to control cockroaches in :
Domestic premises (including kitchens)
Food handling areas (i.e. for food processing, storage and preparation) such as food manufacturing premises, commercial
kitchens, restaurants, food stores, warehouses, retail outlets etc.
Public Buildings such as hotels, hospitals, prisons, theatres
Commercial and Industrial premises such as factories, shops, workshops, aircraft, vehicles, railway stock and ships.
Goliath® Gel is most effective when placed within or close to cockroache har to be treated
should be cleaned and tidled before treatment paying particular attention to the removal of alternative for Bodiard® Gel is should be cleaned and tidled before treatment paying particular attention or similar applicators. Lock the Goliath® Gel is should be obliced within or close to ackroache in the best results the area to be treated
should be cleaned and tidled before treatment paying particular attention to the removal of alternative for the Goliath® Gel is should be obliced within or close are application to the submittatures intractions on the use of the BaitGungt.
Goliath® Gel is should be applied throughout the infested area as small spots. Spots of gel should be applied in dark outovids and ducting and under bathroom fittures etc.
Do not apply Goliath® Gel or when place to ne recently treated surfaces, as this may discourage cocknoaches irm
feeding on it.
Commercial and inducting and under bathroom fittures etc.
Do not apply Goliath® Gel or altable define treatment paying particularea at the best results the deside before
submitted and to altable define treatment paying particular attention to the removed of altonuctures.
Goliath® Gel should be

Insecticides on or around Goliath® Gel or place it on recently usated contacts, as the section of it. feeding on it. If Goliath® Gel contaminates non-target surfaces remove the gel with a damp paper towel and place in domestic refuse.

Clean area thoroughly. Typically cockroaches will die a few hours after a single feed on Goliath<sup>®</sup> Gel. In infested premises, dead cockroaches will normally be seen within 24 hours of treatment. will normally be seen within 24 hours of realism. Treated areas should be re-inspected after 1–2 weeks. Where initial infestation was severe a second Goliath<sup>®</sup> Gel application may be required if the first treatment has been consumed and live cockroaches are still present.

Rate of application In cases of severe infestation and in areas that are particularly dirty or cluttered or where alternative sources of food cannot be entirely eliminated use the higher rate of application

Normal rate German cockroach: one spot of 0.03 g gel per square metre Oriental or American cockroach: two spots of 0.03 g gel per square metre

High rate German cockroach: two spots of 0.03 g gel per square metre Oriental or American cockroach: three spots of 0.03 g gel per square metre A spot of 0.03g is approximately 3–4 mm in diameter

STORAGE AND DISPOSAL Store Goliath<sup>®</sup> Gel cartridges in the original box away from extremes of temperature. When empty dispose of the cartridges sately. Do not attempt to open or re-fill.

### PRECAUTIONS

WASH AIV CONTAMINATION from skin or eyes immediately. WASH HANDS AND EXPOSED SINI before meals and after use. KEEP IN A SAFE PLACE. To avoid risks to man and the environment, comply with instructions for use.

## The product label provides information on a specific pesticidal use of the product; do not use otherwise, unless you have assessed any potential hazard involved, the safety measures required and that the particular use has "off-label" approval or is otherwise permitted under the Control of Pesticides Regulations.

The information on this label is based on the best available information including data from test results Safety data sheet:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier GOLIATH GEL

1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses: biocide

## 1.3. Details of the supplier of the safety data sheet

LX Marketing Company: BASF plc, PO Box 4, Earl Road, Cheadle Hulme, CHEADLE, Cheshire SK8 GQ, Tei:10161 455 6222, Technical Enquiries: 0845 602 2553 Technical Enquiries: 0845 602 2553

## 1.4. Emergency telephone number International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture According to Regulation (EC) No 1272/2008 [CLP]

## Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. For the classifications not written out in full in this section the full text can be found in section 16. 2.2. Label elements

Globally Harmonized System, EU (GHS) Hazard Statement:

### H412

Harmful to aquatic life with long lasting effects. According to Directive 67/548/EEC or 1999/45/EC EEC Directives R-phrase(s) R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the

### S-phrase(s) Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. S13 S20/21

2.3. Other hazards

## According to Regulation (EC) No 1272/2008 [CLP] See section 12 – Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but whic may contribute to the overall hazards of the substance or mixture.

| SECTION 3: Composition/Information on Ingredients   |  |
|---|--|
| 3.1. Substances<br>Not applicable   |  |
| 3.2. Mixtures   |  |
| Chemical nature<br>Biocidal product, insecticide, Bait  |  |
| Hazardous ingredients (GHS)<br>according to Regulation (EC) No. 1272/2008   |  |
| fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluor   | omethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H- pyrazole-3-  |
| Content (W/W): 0.05%  | Acute Tox. 2 (Inhalation – dust)   |
| EC-Number: 12008-37-3<br>EC-Number: 424-610-5<br>INDEX-Number: 608-055-00-8   | Acute Tox. 3 (oral)<br>Acute Tox. 3 (dermal)<br>STOT RE (Central nervous system) 1<br>Aquatic Acute 1  |
|   | Aquatic Chronic 1<br>H311, H330, H301, H372, H400, H410  |
| Hazardous ingredients   |  |
| fipronil (ISO); 5-amino-1-[2,6-dichloro-4-(trifluor   | omethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H- pyrazole-3-  |
| carbonitrie<br>Content (W/W): 0.05%<br>CAS Number: 120068-37-3<br>EC-Number: 424-610-5<br>INDEX-Number: 608-055-00-8<br>Hazard symbol(s): T. N  |  |
| R-phrase(s): 23/24/25, 48/25, 50/53   | action including the indiration of denger the based symbols  |
| the R phrases, and the hazard statements, the full  | ext is listed in section 16.   |
| SECTION 4: First-Aid Measures   |  |
| 4.1. Description of first aid measures  |  |
| Hemove contaminated clothing.<br>If inhaled: Keep patient calm, remove to fresh air.  |  |
| On skin contact: Wash thoroughly with soap and w  | ater.  |
| On contact with eyes: Wash affected eyes for at lea   | st 15 minutes under running water with eyelids held open.  |
| On ingestion: Rinse mouth immediately and then d<br>4.2. Most important symptoms and effects, bot   | rink plenty of water, induce vomiting, seek medical attention.   |
| Symptoms: The most important known symptoms and<br>or in section 11. Further important symptoms and   | and effects are described in the labelling (see section 2) and/<br>effects are so far not known.   |
| 4.3. Indication of any immediate medical attent   | tion and special treatment needed  |
| Ireatment: Symptomatic treatment (decontamination   | on, vital functions).  |
| SECTION 5: Fire-Fighting Measures   |  |
| 5.1. Extinguishing media<br>Suitable extinguishing media: water spray, carbon of  | dioxide, foam, dry powder  |
| 5.2. Special hazards arising from the substanc  | e or mixture<br>bloride, bydrogen, fluoride, nitrogen, oxides, sulfur, oxides  |
| organochloric compounds   | can be released in case of fire  |
| 5.3. Advice for fire-fighters   |  |
| Further information:  | breathing apparatus and chemical-protective clothing.  |
| In case of fire and/or explosion do not breathe fur<br>to fire. Collect contaminated extinguishing water s  | nes. Keep containers cool by spraying with water if exposed<br>eparately, do not allow to reach sewage or effluent systems.  |
| Dispose of fire debris and contaminated extinguish  | ing water in accordance with official regulations.   |
| SECTION 6: Accidental Release Measures  |  |
| <ol> <li>6.1. Personal precautions, protective equipment<br/>Use personal protective clothing. Avoid contact with</li> </ol>  | nt and emergency procedures<br>h the skin, eyes and clothing. Do not breathe vapour/spray.   |
| 6.2. Environmental precautions  | arge into drains/surface waters/groundwater  |
| UK: Inform local water plc if spillage enters drains a<br>Environmental Protection Agency (Scotland), or the<br>enters surface or ground waters. Ireland: Inform local water plc if spillage enters of<br>surface or ground waters. | Ind the Environment Agency (England & Wales), the Scottish<br>the Environment and Heritage Service (Northern Ireland) if it<br>drains and the Environmental Protection Agency if it enters |
| Keep people and animals away.   |  |
| 6.3. Methods and material for containment and<br>For small amounts: Pick up with suitable absort<br>kipselgube).  | cleaning up<br>pent material (e.g. sand, sawdust, general-purpose binder,  |
| For large amounts: Dike spillage. Pump off product<br>Dispose of absorbed material in accordance with<br>be labeled and sealed. Clean contaminated floors   | regulations. Collect waste in suitable containers, which can<br>and objects thoroughly with water and detergents, observing  |
| 6.4. Reference to other sections<br>Information regarding exposure controls/personal p<br>8 and 13.   | rotection and disposal considerations can be found in section  |
| SECTION 7: Handling and Storage   |  |
| 7.1. Precautions for safe handling  |  |
| No special measures necessary if stored and hand<br>areas. When using do not eat, drink or smoke. Ha<br>end of the shift.   | Iled correctly. Ensure thorough ventilation of stores and work<br>nds and/or face should be washed before breaks and at the  |
| No special precautions necessary. The substance/  | product is non-combustible. Product is not explosive.  |
| 7.2. Conditions for safe storage, including any<br>Segregate from foods and animal feeds.   | incompatibilities  |
| Further information on storage conditions: Keep aw<br>Protect from temperatures above: 35 °C<br>Changes in the properties of the product may occu   | ay from heat. Protect from direct sunlight.  |
| for extended periods of time.<br>7.3. Specific end use(s)   |  |
| For the relevant identified use(s) listed in Section 1  | the advice mentioned in this section / is to be observed.  |
| SECTION 8: Exposure Controls/Personal Protection  |  |
| 8.1. Control parameters   |  |
| No occupational exposure limits known.<br>For normal use an handling refer to the product lab   | el/leaflet. In all other cases the following apply:  |
| 8.2. Exposure controls  | 3.117  |
| Personal protective equipment   |  |
| Hespiratory protection: Hespiratory protection not r<br>Hand protection: Suitable chemical resistant sa   | equired.<br>fety gloves (EN 374) also with prolonged, direct contact   |
| (Recommended: Protective index 6, corresponding<br>nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm<br>Eye protection: Safety glasses with side-shields (fr  | >480 minutes of permeation time according to EN 374): E.g.<br>a), butyl rubber (0.7 mm) and other<br>ame goggles) (e.g. EN 166) Body protection:   |
| Body protection must be chosen depending on a<br>chemical-protection suit (according to EN 14605 in   | ctivity and possible exposure, e.g. apron, protecting boots, case of splashes or EN ISO 13982 in case of dust).  |
| General safety and hygiene measures   |  |

recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

### **SECTION 9: Physical and Chemical Properties**

9.1. Information on basic physical and chemical properties

| Form: gel<br>Colour: brown<br>Odour: odourless         |  |   |                           |  |
|--|--|---|---------------------------|--|
| Odour threshold: not applicable, odour not perceivable | Form:<br>Colour:<br>Odour:<br>Odour threshold: | gel<br>brown<br>odourless<br>not applicab | le, odour not perceivable |  |

® = Registered trademark of BASF

|      | pH value:   | approx 5 - 7 (10 g/l 21 °C)   |   | 1 Г | Information on: finronil (ISO): 5-ar   | ning-1-12 6-dichlorg-4-(trifluorgmethyl)nhonyl]-4- [(trifluorgmethyl)cylfinyl]-1H   |
|------|---|---|---|-----|--|---|
|      | Melting point:  | not determined  |   |     | pyrazole-3-carbonitrile  | imio-1-2,0-dictiono-4-(unidoromeury)prierly)-4- [[unidoromeury)summy-1-1-   |
|      | Flash point:<br>Evaporation rate:                                   | Non-flammable.  |   |     | 12.3. Bioaccumulative potential  |   |
|      | Flammability:   | No dangerous quantities of flammable<br>gases will be produced by contact with water.                 | (Directive 92/69/EEC, A.12)   |     | Assessment bioaccumulation poten<br>the properties of the individual com     | ntial: The product has not been tested. The statement has been derived from<br>popents.   |
|      | Lower explosion limit:  | As a result of our experience with this product<br>and our knowledge of its composition we do         |   |     | Information on: fipronil (ISO); 5-arr  | nino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4- [(trifluoromethyl)sulfinyl]-1H   |
|      |   | not expect any hazard as long as the product<br>is used appropriately and in accordance with          |   |     | pyrazole-3-carbonitrile<br>Bioaccumulation potential: Bioconc                | entration factor: 321, Lepomis macrochirus  |
|      | Upper explosion limit:  | the intended use.<br>As a result of our experience with this product                                  |   |     | Accumulation in organisms is not to  | b be expected.  |
|      |   | and our knowledge of its composition we do<br>not expect any bazard as long as the product            |   |     | 12.4. Mobility in soil   | vironmental compartments: The product has not been tested. The statemen   |
|      |   | is used appropriately and in accordance with<br>the intended use.                                     |   |     | has been derived from the propertie  | es of the individual components.  |
|      | Ignition temperature:<br>Vapour pressure:                           | 415 °C<br>approx, 23 hPa (20 °C)  | (Directive 92/69/EEC, A.15)   |     | Information on: fipronil (ISO); 5-arr<br>pyrazole-3-carbonitrile             | nino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4- [(trifluoromethyl)sulfinyl]-1H   |
|      | Density:  | Information applies to the solvent.   |   |     | Assessment transport between env<br>particles is probable, therefore cont    | vironmental compartments: Following exposure to soil, adsorption to solid soi<br>tamination of groundwater is not expected.                                   |
|      | Relative vapour density (air):<br>Solubility in water:              | not determined<br>dispersible   |   |     | 12.5. Results of PBT and vPvB a  | ssessment   |
|      | Partitioning coefficient n-octan                                    | ol/water (log Kow):<br>not applicable   |   |     | The product does not contain a sub<br>(very persistent/very bioaccumulati    | stance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvE<br>ve) criteria.  |
|      | Thermal decomposition:  | not determined  |   |     | 12.6. Other adverse effects  |   |
|      | Viscosity, dynamic:   | 30,189 – 30,636 mPa.s (21 °C)   | (Directive 92/69/EEC A 14)  |     | that deplete the ozone layer.  | tances that are listed in Annex I of Regulation (EC) 2037/2000 on substances  |
|      | Fire promoting properties:  | not fire-propagating  | (UN Test O.2 (oxidizing liquids))                                       |     | 12.7. Additional information<br>Other ecotoxicological advice: Do r          | not discharge product into the environment without control  |
|      | 9.2. Other information  |   |   |     |  |   |
|      | If necessary, information on oth                                    | ner physical and chemical parameters is indicate  | d in this section.  |     | SECTION 13: Disposal Considerations  |   |
| SEC  | FION 10: Stability and Reactiv                                      | ity   |   |     | 13.1. Waste treatment methods  | in accordance with local regulations  |
|      | 10.1. Reactivity  |   |   |     | IK The LK Environmental Protect  | ion (Duty of Care) Regulations (EP) and amendments should be noted. This  |
|      | No hazardous reactions if store                                     | ed and handled as prescribed/indicated.   |   |     | product and any uncleaned contain  | ners must be disposed of as hazardous waste in accordance with the 2005   |
|      | The product is stable if stored a                                   | and handled as prescribed/indicated.  |   |     | Ireland: Used, cleaned, crushed or   | punctured containers may be disposed of at licensed disposal sites. Advice  |
|      | 10.3. Possibility of hazardou<br>No hazardous reactions if store    | is reactions<br>ed and handled as prescribed/indicated.   |   |     | for the disposal may be given by loo<br>waste disposal contractor. Do not re | cal authorities (Environmental Health Departments) who will recommend a<br>e-use containers for any purpose.  |
|      | 10.4. Conditions to avoid<br>See MSDS section 7 – Handlin           | a and storage.  |   |     | Contaminated packaging: Contamin   | nated packaging should be emptied as far as possible and disposed of in the   |
|      | 10.5. Incompatible materials  | sees strong golde strong gyldi-i  |   |     | same manner as the substance/pro   | oduct.  |
|      | 10.6. Hazardous decomposit  | tion products   |   |     | SECTION 14: Transport Information  |   |
|      | Hazardous decomposition prov<br>No hazardous decomposition province | ducts:<br>products if stored and handled as prescribed/ind  | cated.  |     | Land transport   | Lundar transport regulations  |
|      |   |   |   |     | Inland waterway transport  | a under transport regulations   |
| SEC  | 11.1. Information on toxicolog                                      | ation   |   |     | Not classified as a dangerous good   | I under transport regulations   |
|      | Acute toxicity  | Spical ellects  |   |     | Sea transport<br>Not classified as a dangerous good                          | l under transport regulations   |
|      | Assessment of acute toxicity:<br>Virtually nontoxic by inhalation   | Of low toxicity after single ingestion. Virtually no  | ntoxic after a single skin contact.                                     |     | Air transport<br>Not classified as a dangerous good                          | under transport regulations   |
|      | Experimental/calculated data:                                       | LD <sub>so</sub> rat (oral): 4,400 mg/kg (OECD Guideline 40   | )   |     | 14.1. UN number  |   |
|      | (by inhalation): The product ha<br>individual components.           | as not been tested. The statement has been de   | erived from the properties of the                                       |     | See corresponding entries for "UN  | number" for the respective regulations in the tables above.   |
|      | LD <sub>50</sub> rat (dermal): > 5,000 mg/k                         | g (OECD Guideline 402)  |   |     | See corresponding entries for "UN  | proper shipping name" for the respective regulations in the tables above.   |
|      | Information on: fipronil (ISO); = pyrazole-3-carbonitrile           | 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)pheny  | l]-4- [(trifluoromethyl)sulfinyl]-1H-                                   |     | 14.3. Transport hazard class(es)<br>See corresponding entries for "Tran      | sport hazard class(es)" for the respective regulations in the tables above.   |
|      | Experimental/calculated data: Lo                                    | C50 rat (by inhalation): 0.36 mg/l 4 h (OECD Guide  | line 403) Tested as dust aerosol.                                       |     | 14.4. Packing group<br>See corresponding entries for "Pac                    | king group" for the respective regulations in the tables above  |
|      | Irritation<br>Assessment of irritating effects                      | : Not irritating to the eyes. Not irritating to the ski   | n.  |     | 14.5. Environmental hazards  |   |
|      | Experimental/calculated data:                                       |   |   |     | See corresponding entries for "Envi  | ironmental hazards" for the respective regulations in the tables above.   |
|      | Skin corrosion/irritation rabbit:<br>Bespiratory/Skin sensitization | non-irritant Serious eye damage/irritation rabbit:  | non-irritant  |     | See corresponding entries for "Spe   | cial precautions for user" for the respective regulations in the tables above.  |
|      | Assessment of sensitization: T                                      | here is no evidence of a skin-sensitizing potentia  | I.  |     | 14.7. Transport in bulk according<br>Regulation:                             | g to Annex II of MARPOL73/78 and the IBC Code<br>Not evaluated  |
|      | Experimental/calculated data:<br>Guinea pig maximization test g     | uinea pig: Skin sensitizing effects were not obse   | rved in animal studies.   |     | Shipment approved:<br>Pollution name:  | Not evaluated<br>Not evaluated  |
|      | Germ cell mutagenicity  |   |   |     | Pollution category:<br>Ship Type:  | Not evaluated<br>Not evaluated  |
|      | Assessment of mutagenicity:<br>properties of the individual con     | The product has not been tested. The statem<br>nponents. Mutagenicity tests revealed no genoto        | ent has been derived from the<br>xic potential.                         |     |  |   |
|      | Carcinogenicity<br>Assessment of carcinogenicity                    | w The product has not been tested. The state  | nent has been derived from the  |     | 15.1 Safety health and environm  | nental regulations/legislation specific for the substance or mixture  |
|      | properties of the individual con                                    | nponents.   |   |     | If other regulatory information appli<br>described in this subsection        | ies that is not already provided elsewhere in this safety data sheet, then it is  |
|      | Information on: fipronil (ISO);<br>pyrazole-3-carbonitrile          | 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)pheny  | l]-4- [(trifluoromethyl)sulfinyl]-1H-                                   |     | UK: To avoid risks to man and the e  | nvironment, comply with the instructions for use.   |
|      | Assessment of carcinogenicity<br>caused by an animal specific r     | r: In long-term studies in rats the substance indu<br>mechanism that has no human counter part. In lo | nced thyroid tumors. The effect is<br>ong-term studies in mice in which |     | The data should be considered whe<br>Health Regulations (COSHH), and         | nen making any assessment under the Control of Substances Hazardous to<br>related guidance, for example, ,COSHH Essentials' (United Kingdom).                 |
|      | the substance was given by tee                                      | ed, a carcinogenic effect was not observed.   |   |     | Ireland: This product may be subje   | act to the Seveso II Directive and amendments if specific threshold tonnages  |
|      | Assessment of reproduction to:                                      | xicity: The product has not been tested. The state  | ement has been derived from the   |     | For the further medical advice Doctors                                       | should contact the National Poisons Information Centre at Beaumont Hospital   |
|      | Developmental toxicity  | solients. The results of animal studies gave no indic   | alion of a fertility impaining effect.                                  |     | 15.2. Chemical Safety Assessme   | ent   |
|      | Assessment of teratogenicity:<br>properties of the individual co    | The product has not been tested. The staten<br>mponents. Animal studies gave no indication o          | nent has been derived from the<br>f a developmental toxic effect at     |     | Advice on product handling can be  | found in sections 7 and 8 of this safety data sheet.  |
|      | doses that were not toxic to the                                    | parental animals.   |   |     | SECTION 16: Other Information  |   |
|      | Assessment of repeated dose   | toxicity: The product has not been tested. The sta  | tement has been derived from the  |     | Full text of the classifications, inclu                                      | iding the indication of danger, the bazard symbols, the B phrases, and the  |
|      | Information on: fipronil (ISO);                                     | nponents.<br>5-amino-1-[2,6-dichloro-4-(trifluoromethyl)pheny   | l]-4- [(trifluoromethyl)sulfinyl]-1H-                                   |     | hazard statements, if mentioned in T   | section 2 or 3:<br>Toxic.   |
|      | pyrazole-3-carbonitrile<br>Assessment of repeated dose              | toxicity:   |   |     | N<br>23/24/25  | Dangerous for the environment.<br>Toxic by inhalation, in contact with skin and if swallowed.   |
|      | Causes mortality and signs of                                       | neurotoxicity through prolonged or repeated expo  | osure.  |     | 48/25  | Toxic: danger of serious damage to health by prolonged exposure i<br>swallowed.   |
|      | Other relevant toxicity informat<br>Misuse can be harmful to healt  | <u>ion</u><br>th.   |   |     | 50/53  | Very toxic to aquatic organisms, may cause long-term adverse<br>effects in the aquatic environment.   |
| 0.50 |   |   |   |     | Aquatic Chronic<br>Acute Tox.  | Hazardous to the aquatic environment – chronic<br>Acute toxicity  |
| SEC  | 12.1 Toxicity   | 5n  |   |     | STOT RE<br>Aquatic Acute   | Specific target organ toxicity — repeated exposure<br>Hazardous to the aquatic environment – acute  |
|      | Assessment of aquatic toxicity                                      | r: Acutely harmful for aquatic organisms. May ca  | use long-term adverse effects in  |     | H311<br>H330   | Toxic in contact with skin.<br>Fatal if inhaled.  |
|      | of the individual components.                                       | souder has not been rested. The statement has   | been derived nom the properties   |     | H301<br>H372   | Toxic if swallowed.<br>Causes damage to organs (Central nervous system) through   |
|      | Information on: fipronil (ISO);<br>pyrazole-3-carbonitrile          | 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)pheny  | l]-4- [(trifluoromethyl)sulfinyl]-1H-                                   |     | H400   | prolonged or repeated exposure.<br>Very toxic to aquatic life.  |
|      | Toxicity to fish:<br>LC50 (96 h) 0.0852 mg/l, Lepo                  | mis macrochirus   |   |     | H410<br>The data contained in this safety d                                  | very toxic to aquatic life with long lasting effects.<br>ata sheet are based on our current knowledge and experience and describe                             |
|      | Information on: fipronil (ISO);                                     | 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)pheny  | l]-4- [(trifluoromethyl)sulfinyl]-1H-                                   |     | the product only with regard to safe<br>specification). Neither should any a | ety requirements. The data do not describe the product's properties (produc<br>agreed property nor the suitability of the product for any specific purpose be |
|      | pyrazoie-3-carbonitrile<br>Aquatic invertebrates: EC50 (4           | 18 h) 0.19 mg/l, Daphnia magna  |   |     | deduced from the data contained in<br>ensure any proprietary rights and en-  | n the safety data sheet. It is the responsibility of the recipient of the product to<br>xisting laws and legislation are observed.                            |
|      | LC50 (96 h) 0.00014 mg/l, Mys                                       | sidopsis bahia  |   |     | UK:  |   |
|      | Information on: fipronil (ISO); s                                   | 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)pheny  | l]-4- [(trifluoromethyl)sulfinyl]-1H-                                   |     | For further medical advice Doctors<br>further information can be obtained    | from the National Chemical Emergency Centre 01865 407333 (24 hours).  |
|      | Aquatic plants:<br>EC50 (96 h) 0.068 ma/l (arowth                   | h rate), Scenedesmus subspicatus  |   |     | Ireland:   | re should contact the National Paisons Information Contra at D  |
|      | EC50 (7 d) > 0.16 mg/l (growth                                      | n rate), Lemna gibba  |   |     | Hospital.  | as should contact the National Poisons information Centre at Beaumon  |
|      | Information on: fipronil (ISO);                                     | 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)pheny  | l]-4- [(trifluoromethyl)sulfinyl]-1H-                                   |     | 1865 407333 (24 hours).  | based on the present state of our knowledge and does not therefore succenter  |
|      | Chronic toxicity to fish: No obs                                    | erved effect concentration 0.0029 mg/l, Cyprinod  | lon variegatus  |     | certain properties. Recipients of ou   | r product must take responsibility for observing existing laws and regulations.   |
|      | Information on: fipronil (ISO);                                     | 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)pheny  | l]-4- [(trifluoromethyl)sulfinyl]-1H-                                   |     |  | (Version: 1.0)  |
|      | Chronic toxicity to aquatic inve                                    | rtebrates: No observed effect concentration (21   | d) 0.0098 mg/l, Daphnia magna   |     |  |   |
|      | INU ODSERVED effect concentration                                   | ion u.uuuuuw mg/i, Mysidopsis bahia   |   | 1 1 |  |   |

12.2. Persistence and degradability Assessment biodegradation and elimination (H,O): The product has not been tested. The statement has bee derived from the properties of the individual components.

partments: The product has not been tested. The statement al components. ro-4-(trifluoromethyl)phenyl]-4- [(trifluoromethyl)sulfinyl]-1H artments: Following exposure to soil, adsorption to solid soil undwater is not expected. e PBT (persistent/bioaccumulative/toxic) criteria or the vPvB sted in Annex I of Regulation (EC) 2037/2000 on substances duct into the environment without control. ith local regulations. Regulations (EP) and amendments should be noted. This posed of as hazardous waste in accordance with the 2005 ainers may be disposed of at licensed disposal sites. Advice nvironmental Health Departments) who will recommend a for any purpose. should be emptied as far as possible and disposed of in the regulations regulations regulations regulations espective regulations in the tables above. name" for the respective regulations in the tables above. ss(es)" for the respective regulations in the tables above. e respective regulations in the tables above. ds" for the respective regulations in the tables above. or user" for the respective regulations in the tables above. MARPOL73/78 and the IBC Code aluateo aluateo aluated aluated aluated aluated ns/legislation specific for the substance or mixture eady provided elsewhere in this safety data sheet, then it is ply with the instructions for use. assessment under the Control of Substances Hazardous to , for example, ,COSHH Essentials' (United Kingdom). Il Directive and amendments if specific threshold tonnages e National Poisons Information Centre at Beaumont Hospital 7 and 8 of this safety data sheet. on of danger, the hazard symbols, the R phrases, and the

| N               | Dangerous for the environment.  |
|-----------------|---|
| 23/24/25        | Toxic by inhalation, in contact with skin and if swallowed.                                       |
| 18/25           | Toxic: danger of serious damage to health by prolonged exposure<br>swallowed.                     |
| 50/53           | Very toxic to aquatic organisms, may cause long-term adver<br>effects in the aquatic environment. |
| Aquatic Chronic | Hazardous to the aquatic environment – chronic  |
| Acute Tox.      | Acute toxicity  |
| STOT RE         | Specific target organ toxicity — repeated exposure  |
| Aquatic Acute   | Hazardous to the aguatic environment – acute  |
| 4311            | Toxic in contact with skin.   |
| 1330            | Fatal if inhaled.   |
| -1301           | Toxic if swallowed.   |
| 1372            | Causes damage to organs (Central nervous system) throu<br>prolonged or repeated exposure.         |
| -1400           | Very toxic to aquatic life.   |
|                 |   |