

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE:

FOR USE ONLY AS AN INSECTICIDE.

FOR USE ONLY BY PROFESSIONAL OPERATORS.

Application rate: For fly control spray 1 litre of product per 100 square metres. To control flying insects and wandering larvae, fog 1 litre of product per 300 cubic metres. The (COSHH) Control of Substances Hazardous to Health Regulations 2002 may apply to the use of this product at work. Engineering control of operator exposure must be used where reasonably practicable in addition to the following items of personal protective equipment. Wear suitable protective clothing. Wear protective gloves. AVOID EXCESSIVE CONTAMINATION OF COVERALLS AND LAUNDRER REGULARLY. Do not breathe the spray. Otherwise wear respiratory protective equipment and eye protection (see HSE Guidance Booklet HS (G) 53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide"). However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection. COVER WATER STORAGE TANKS before application. DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES. Dispose of contents/container to an approved waste disposal plant. In case of fire use foam, water or dry powder extinguishers. UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY. DO NOT APPLY DIRECTLY TO ANIMALS. REMOVE OR COVER ALL FISH TANKS AND BOWLS before application. Do not contaminate ground, waterbodies or watercourses with chemicals or used container. AVOID ALL CONTACT WITH PLANT LIFE. HAZARDOUS TO BEES. Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE

HSE 6216

PRECAUTIONS:

To avoid risks to man and the environment, comply with the instructions for use. *Keep away from heat/sparks/open flames/hot surfaces - No smoking. *WASH ANY CONTAMINATION from skin or eyes immediately. *WASH HANDS AND EXPOSED SKIN before meals and after use. *Keep only in the original container. *Keep container tightly closed. *KEEP IN A SAFE PLACE. Store in a well-ventilated place. Keep cool. *IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT induce vomiting. *Keep out of the reach of children. *Use only in well ventilated areas. *VENTILATE TREATED AREAS THOROUGHLY after application. *DO NOT HANDLE TREATED FABRICS BEFORE USE. *UNTIL DRY, TREATED AREAS CAN POSE A FIRE RISK. Avoid release to the environment. Flammable liquid and vapour. Causes skin irritation. Repeated exposure may cause skin dryness or cracking. May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects.

Contains Permethrin. May produce an allergic reaction.
Contains Isoparaffin.

Active Ingredient: Permethrin 0.23% w/w (2.3g/kg)

PCS 96199



DANGER

Rentokil Initial Supplies

Liverpool L33 7SR
Enquiries: 0151 548 5050
products@rentokil.com
www.rentokilproducts.com
Emergency line: 01342 833022

CLF173
CLP15-057
Batch No. See pack

Deadline is a registered
trademark of Rentokil Initial plc.