

hi

SOFAST

(Imidacloprid 0,5 w/w)

BAIT INSECTICIDE AGAINST FLIES



For Batch No. and date of manufacture see packaging,
expiry two years from manufacture date



Distributed by:
Hockley International Ltd
Hockley House,
3 Longstone Road,
Ashbrook Office Park
Manchester M22 5LB.
www.hockley.co.uk
Tel: 0161 209 7400

PROFESSIONAL USE

1 Kg

PROFESSIONAL USE

Formulation: Granules

Active substance: Imidacloprid

Chemical family: Nitroguanidines (Neonicotinoids)

Concentration: 0.5% w/w

Appearance: White granule with weak, characteristic odour

Target insects: Houseflies

Mode of action: The active ingredient Imidacloprid, acts by binding to the insects neurons. This binding causes a disturbance in the transmission of nerve impulses which is lethal to the target insect. The bait contains sugar and a pheromone (Z)-9-tricosene, attractive to flies. The manufacturing technology of SOFAST guarantees an excellent distribution of the active ingredient and of the luring substances in the formulation, making the bait extremely effective and attractive to flies. The product contains a bittering agent to prevent ingestion by children, non-target animals and pets.

Use instructions:

2 - way application:

1/ Dispersed in water - Application solution with pressure pump: Pour 100 g of Sofast in 100 ml of water. Mix well the solution obtained and let stand at least 15 minutes. Through pressure pump, apply the solution 7-8 hours maximum after its preparation on non-porous surfaces where flies usually lay.

2/ Dispersed in water - Distemper application - "Wall-painting" application: Pour 200 g in 150 ml of water. Mix well the solution obtained and let stand at least 20 minutes. Apply the solution with a paint brush 7-8 hours maximum after its preparation on non-porous surfaces where flies usually lay.

Intended uses: Insecticide for professional use against houseflies, by application to walls and ceilings of farms, zootechnical sites, domestic and civil buildings.

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE.

FOR USE ONLY AS AN INSECTICIDE

FOR USE ONLY BY PROFESSIONAL OPERATORS

TARGET SPECIES	SPRAY APPLICATION	PAINT APPLICATION
Houseflies	Dissolve 100g in 100ml of water and leave to stand for at least 15 minutes.	Dilute 200g in 150ml of water, mix well and let stand for at least 20 minutes.

Note: In general 200g of product should treat a surface of 100 square metres.

UK - Users must comply in full with all their legal responsibilities under the Control of Pesticides Regulations 1986 (as amended), including complying with all Conditions of Approval.

READ ALL PRECAUTIONS BEFORE USE

HSE9699 PCS97498

Remarks: Before use, protect/cover food, utensils and surfaces that come into contact with foodstuffs. Do not apply in areas where regular cleaning can move the bait to the surfaces that come into contact with foodstuffs. Do not apply in areas regularly cleaned with water as the washing can remove the deposit. Do not apply baits in areas recently sprayed with insecticide. Do not spray insecticide on the granules. The application on textile may cause discoloration.

Storage: KEEP IN A SAFE PLACE

Keep the product in its original packaging out of the reach of children and pets. Under these conditions, SOFAST may be stored for 2 years.

Packaging:

The packaging must be disposed as hazardous waste under the sole responsibility of the holder of that waste. Do not empty into drains and waterways. See special instructions/Safety data security.

Precautions:

USE ONLY AS DESCRIBED ON LABEL.

Avoid excessive contamination of coveralls.

DO NOT CONTAMINATE FOODSTUFFS, EATING UTENSILS OR FOOD CONTACT SURFACES.

This material and its container must be disposed of in a safe way.

UNPROTECTED PERSONS AND ANIMALS SHOULD BE KEPT AWAY FROM TREATED AREAS UNTIL SURFACES ARE DRY.

DO NOT APPLY DIRECTLY TO LIVESTOCK AND POULTRY. EXCLUDE ALL PERSONS AND ANIMALS DURING TREATMENT.

COVER ALL WATER STORAGE TANKS before application.

Do not contaminate ground, waterbodies or watercourses with chemicals or used container.

ALL BATS ARE PROTECTED UNDER THE WILDLIFE AND COUNTRYSIDE ACT 1981. BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT NATURAL ENGLAND, SCOTTISH NATURAL HERITAGE OR THE COUNTRYSIDE COUNCIL FOR WALES.

HAZARDOUS TO BEES.

IN IRELAND, ALL BATS ARE PROTECTED UNDER SCHEDULE 5 OF THE WILDLIFE ACTS (1976 AND 2000). BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT THE NATIONAL PARKS AND WILDLIFE SERVICE.

Protect milk machinery and milk containers from contamination.

Do not breathe spray

In case of insufficient ventilation wear suitable respiratory equipment.

WASH HANDS AND EXPOSED SKIN before meals and after use.

Guidance on suitable respiratory protective equipment and eye protection is provided in HSE Booklet HS(G)53: "The Selection, Use and Maintenance of Respiratory Protective Equipment - A Practical Guide". COLLECT EGGS AND REMOVE FEED, EXPOSED WATER AND MILK BEFORE APPLICATION.

First aid: Change contaminated clothing. After skin contact: Wash skin with soap and plenty of water immediately. After eye contact: Wash eyes thoroughly with water. Consult an ophthalmologist. After swallowing: Call a doctor immediately.


IMPORTANT:

USE INSECTICIDES WITH PRECAUTION. BEFORE USE, READ THE LABEL

Respect the uses, doses, conditions and precautions on the packaging which have been determined based on product characteristics and applications for which it is recommended.

The treatment should be performed according to good practice taking into account under your responsibility all the specific factors that may be involved and are beyond our control (materials used, application conditions, product mix, etc...)

The manufacturer guarantees the quality of its products sold in their original packaging.



SOFAST (contains 0.5% w/w Imidacloprid)

H411 Toxic to aquatic life with long lasting effects

P273 Avoid release to the environment

P391 Collect spillage

P501 Dispose of contents/container to an authorised waste collection point

EUH208 Contains Z-9-Tricosene (27519-02-4). May produce an allergic reaction

The COSHH (Control of Substances Hazardous to Health) Regulations 2002 (as amended) apply to the use of this product at work.

To avoid risks to man and the environment, comply with the instructions for use.

For further information, please contact: SHARDA Europe b.v.b.a.
Jozef Mertensstraat 142, 1702 Dilbeek, BELGIQUE, Tel : +32 (0)2 466.44.44

In case of emergency please contact: Sharda AEA +44(0) 1865407333

