Wood preservative (microemulsion concentrate) for preventative treatment against wood boring beetles and termites. Also for curative treatment against wood boring beetles. Authorisation is granted for Use class 1 in which the wood-based product is under cover and not exposed to weather and wetting.

Application : Dilute 1L of Concentrate with 24 L of water before application. Apply by Brush or low pressure spray. For a preventative use - Apply at a rate of 200 ml/ m². (1L per 5 m³). For curative use - Apply at a rate of 300 ml/m². (1L per 3.3 m³). Curative injection applications of the diluted product should be applied at a rate of 150 kg/m³ followed by a superficial treatment of 300 ml/m². This sequence application method should not be normal practice for curative applications, but only applied when required. Product should only require applying once every 5 years, if necessary, to timbers Use Specific Instructions & Risk Mitigation Measures :

FOR USE ONLY AS A WOOD PRESERVATIVE FOR PROFESSIONAL USE ONLY FOR INDOOR USE ONLY. Do not touch or walk through spilt material. When dealing with spillage to not eat, drink or smoke. Avoid breathing vapour or mist. Provide adequate ventilation. Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. During application of the ready to use user should take care to avoid splashes on to clothing and skin. Any product on skin should be washed off. Persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry. Always read the label or leaflet before use and follow all of the instructions. Do not use on wood which may come into contact with food, feeding stuffs and livestock animals. Do not contaminate foodstuff, eating utensils or food contact surfaces. Avoid prolonged contact of pets, particularly cats, to treated surfaces. All bats are protected under the wildlife and countryside act of 1981, before treating any structure used by bats consult Natural England, Scottish Natural Heritage or the Countryside Council for Wales. Inform the registration holder if treatment is ineffective. The COSHH (Control of Substances Hazardous to Health) Regulation 2002 (as amended) applies to the use of this product at work. Wear suitable protective chemical resistant gloves (rubber or nitrile) and eve/face protection during product handling phase. Wear suitable protective chemical resistant gloves (rubber or nitrile) when applying as a spray or injection treatment. A protective coverall (at least type 6, EN 13034) must be worn when spraying. First Aid : If medical advice is needed, have product container or label at hand. If in eves : rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If on skin: wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention, Pyrethroids and Pyrethrins may cause paraesthesia (burning and prickling of the skin without irritation). If symptoms persist get medical advice, UK medical professionals should contact the National Poisons Information Service (www.npis.org) for further advice. Storage: Store in a cool, well-ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquid. Must only be kept in original packaging. A shelf life of 24 months is supported. Protect from frost. Disposal: Waste product or contaminated packaging should be disposed via a licensed waste disposal contractor. Bottle should be rinsed until free from deposit with washing used as diluent or disposed of as above. Empty container should be disposed of a normal industrial waste. Do not discharge the biocidal product nor the diluted solution of the biocidal product into the sewage system or environment.

Causes serious eve damage. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects. Safety data sheet available on request. Keep out of reach on children. Avoid breathing sprav. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eve protection/face protection, JE IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses. if present and easy to do. Continue rinsing, Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: wash with plenty of soap and water. IF SKIN irritation or rash occurs: Get medical advice/attention. Specific treatment (see MSDS). Take off contaminated clothing and wash it before re-use. Collect Spillage, Dispose of contents as hazardous waste in accordance with local/regional/national/international regulations. Contains : Permethrin [52645-53-1], 1,2-Benzisothiazol-2(3H)-one [2634-33-5]. Alcohols (C9-11). Ethoxylated [68439-46-3] Contains : Permethrin 62.5g/L

Additional information for use in Republic of Ireland :

Use Biocides Safely and Sustainably. It is illegal to use this product for uses or in a manner other than that prescribed on the label. Poison Information : For information or to report a poisoning incident contact The National Poisons Information Centre, Beamont Hospital, Dublin (01-8092166), retain label for reference.



Use biocides safely. Always read the label first



P R O I 62.5 INSECTICIDE

Professional concentrated product containing an insecticide to eradicate and prevent attack by wood boring beetles.

Efficacy Certification				
CERTIFIED	ORGANISM	USE	DILUTION	RATE
BS EN 46	House Longhorn Beetle (Hylotrupes Bajulus)	Preventative	1+24	200ml/m ²
BS EN 49-1	Common Furniture Beetle (Anobium Punctatum)	Preventative	1+24	200ml/m ²
BS EN 118	Termites (Reticulitermes Flavipes)	Preventative	1+24	200ml/m ²
BS EN 1390	House Longhorn Beetle (Hylotrupes Bajulus)	Curative	1+24	300ml/m ²
BS EN 370	Common Furniture Beetle (Anobium Punctatum)	Curative	1+24	300ml/m ²

1 litre