

# Instructions for use

MOUSE<mark>2TOP</mark>



www.mousestop.com

# MouseStop<sup>®</sup>: Animal-friendly barrier paste

MouseStop is an animal friendly rodent blocker. For 25 years Mousestop has proven to be the most effective product to seal seams, cracks and holes in order to prevent entry from rodents and other pests.

### Where to use?

- Brickwork
- Steel
- Cast Iron
- PVC
- Sewage pipes
- Electrical ducts

### Why MouseStop?

Ready & easy to use
Instantly effective
Instantly waterproof
No pesticide
IPM compliant
Paintable



### Industries

MouseStops unique properties allow the barrier paste to be used on a wide scale in the food industry as prescribed in the specifications.

MouseStop can be also be used in kitchens, bakeries, distribution centres, manufacturing facilities and companies with hygiene sensitive areas and environmental requirements.

# Composition

Blend of vegetable oils, fillers and polystyrene pearls.

# Packing

MouseStop is packaged in 300 ml cartridges.

A box contains 12 cartridges of 300 ml each.



## Instructions

### Preparation


Make sure the surface is clean and dry. Remove any loose material.

### Application

- 1 Cut off the tip of the cartridge and screw on the applicator nozzle
- 2 Cut the applicator nozzle to a desired size depending on the size of the gap
- 3 Place the cartridge into a standard caulking gun
- 4 Slowly pull the caulking gun trigger. Apply evenly around the edges and fill the entire gap or opening
- 5 Smooth with a palette knife if desired
- 6 The barrier is now active
- 7 Clean hands and tools with a dry cloth after use, if necessary use mineral spirits.

#### **Please note**

- Keep out of reach of children
- Avoid contact with eyes and mouth
- Not suitable for consumption
- Can be used for openings/ducts of at least 5 mm.
- Make sure the layer depth is at least 10 mm
- Do not apply near or around sources of heat
- Can be painted after 48 hours (at 20°C)
- Surface is dry after 48 hours (at 20°C)
- Store in a frost-free place
- The required layer depth may vary
- Waste resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility



Disclaimer. The information in this brochure has been compiled with the utmost care. We cannot accept any liability whatsoever for the accuracy or completeness of the brochure. The product is supplied in the state it is actually in and without any (implicit) warranty or guarantee with respect to the soundness and suitability for a particular purpose or otherwise. We are not liable for any damage that may result from the use of the information provided in this brochure. For the most up-todate application information and other information, we refer you to our website: www.mousestop.com. Version May 2017.







Product of iPest Control BV. Heerhugowaard. The Netherlands T: +31-725347324. E: info@ipestcontrol.com