

S7X CUSTOMER CONCENTRATE

Page: 1

Compilation date: 06/08/2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: S7X CUSTOMER CONCENTRATE

Product code: STE01B201

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name: Steri-7 Limited

34 Baron Grove

Mitcham Surrey CR4 4EH

UK

Tel: +44 (0) 1932 237600

Email: info@ster-7.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 1932 237600

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; -: EUH208

Most important adverse effects: Contains polyhexamethylene biguanide hydrochloride. May produce an allergic

reaction. Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life

with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains polyhexamethylene biguanide hydrochloride. May produce an

allergic reaction.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark

GHS09: Environmental



S7X CUSTOMER CONCENTRATE

Page: 2





Signal words: Warning

Precautionary statements: P264: Wash hands, forearms and face thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see supplemental first aid instruction on this label)

P362+P364: Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	1-10%

2,2'-OXYBISETHANOL

203-872-2	111-46-6	_	Acute Tox. 4: H302	1-10%
200-012-2	111-40-0		Acate 10x. 4. 11002	1-10/0

DIDECYLDIMETHYLAMMONIUM CHLORIDE

230-525-2	7173-51-5	-	Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314	

POLYHEXAMETHYLENE BIGUANIDE HYDROCHLORIDE

-	27083-27-8	-	Carc. 2: H351; Acute Tox. 2: H330; Acute Tox. 4: H302; STOT RE 1:	<1%
			H372; Eye Dam. 1: H318; Skin	
			Sens. 1B: H317; Aquatic Acute 1:	
			H400; Aquatic Chronic 1: H410	

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

270-325-2	68424-85-1	-	Skin Corr. 1B: H314; Acute Tox. 4:	<1%
			H312; STOT SE 2: H371; Aquatic	
			Acute 1: H400; Acute Tox. 4: H302	

Section 4: First aid measures



S7X CUSTOMER CONCENTRATE

Page: 3

4.1. Description of first aid measures

Skin contact: Remove contaminated clothing. Wash immediately with plenty of soap and water. If

irritation persists seek medical attention.

Eye contact: Bathe the eye with running water for 15 minutes. Seek medical attention.

Ingestion: Wash out mouth with water. Seek medical attention immediately and show

container/label or this data sheet

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

recovery is not rapid seek medical attention

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water

spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent

contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not

approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the

escape of liquid.



S7X CUSTOMER CONCENTRATE

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Usual hygiene practices apply. Ensure

there is sufficient ventilation of the area. Do not handle in a confined space. Avoid

the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the

storage room must be impermeable to prevent the escape of liquids.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

2,2'-OXYBISETHANOL

UK	101 mg/m3	-	-	-
----	-----------	---	---	---

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. The floor of the storage room must

be impermeable to prevent the escape of liquids.



S7X CUSTOMER CONCENTRATE

Page: 5

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Perceptible odour

Evaporation rate: Slow

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible in all proportions

Viscosity: Non-viscous

Boiling point/range°C: 100 Melting point/range°C: 0

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: 60 - 93 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. **Vapour pressure:** No data available.

Relative density: 0.99 - 1.01 pH: Approx. 7

VOC g/I: 25

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Acids. Oxidising agents.



S7X CUSTOMER CONCENTRATE

Page: 6

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

DIDECYLDIMETHYLAMMONIUM CHLORIDE

DERMAL	RBT	LD50	3342	mg/kg
ORAL	RAT	LD50	238	mg/kg

POLYHEXAMETHYLENE BIGUANIDE HYDROCHLORIDE

DERMAL	RAT	LD50	>5000	mg/kg
DUST/MIST	RAT	4H LC50	0.37	mg/l
ORAL	RAT	LD50	501	mg/kg

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

ORAL	RAT	LD50	240	ma/ka
OI V.L	1 (1 (1)	LD30		111g/1tg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information



S7X CUSTOMER CONCENTRATE

Page: 7

12.1. Toxicity

Hazardous ingredients:

DIDECYLDIMETHYLAMMONIUM CHLORIDE

Daphnia magna	48H EC50	0.062	mg/l
FISH	96H LC50	0.19	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H ErC50	0.026	mg/l

POLYHEXAMETHYLENE BIGUANIDE HYDROCHLORIDE

Daphnia magna	48H EC50	0.09	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	0.0191	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.026	mg/l

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

DAPHNIA	48H EC50	0.016	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	0.02	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.85	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

Disposal of packaging: Do not reuse the container for any purpose Dispose of in compliance with all local

and national regulations

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.



S7X CUSTOMER CONCENTRATE

Page: 8

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(DIDECYLDIMETHYLAMMONIUM CHLORIDE; POLYHEXAMETHYLENE

BIGUANIDE HYDROCHLORIDE; QUATERNARY AMMONIUM COMPOUNDS,

BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: -

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the

mixture by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic

reaction.

H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.



S7X CUSTOMER CONCENTRATE

Page: 9

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer ({{{0|||message=<state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>|||filter= ()?EXP ROUTE .+}}).

H371: May cause damage to organs ({{{0|||message=<or state all organs affected, if known>|||filter=(_)?ORGAN_.+}}}) ({{{1|||message=<state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>|||filter= ()?EXP ROUTE .+}}}).

H372: Causes damage to organs ({{{0|||message=<or state all organs affected, if known>|||filter=(_)?ORGAN_.+}}}) through prolonged or repeated exposure ({{{1|||message=<state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>|||filter=(_)?EXP_ROUTE_.+}}}).

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The product should not be used for other purposes than those specified under section 1. Attention of users is drawn to the possible risks incurred when the product is used for purposes other than those for which it was designed. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. The company shall not be held liable for any damage resulting from handling or from contact with the above product.