## John Rothery (Wholesale) Ltd Parker-Hale Express Gun Oil

#### PRODUCT SAFETY DATA SHEET

#### **Section 1 Identification of Substance and Company**

Trade Name Parker-Hale Express Gun Oil

**Application** Lubricant/Protectant

Manufacturer/Supplier John Rothery (Wholesale) Ltd

Rothery House Waterberry Drive Waterlooville Hants

PO7 7XX

Emergency Telephone 02392 245350

### Section 2 Composition/Information on Ingredients

A blend of highly refined mineral oils with additives containing no hazardous components.

#### **Section 3 Hazards Identification**

**Eyes** Maybe an irritant to eyes causing pain and redness.

**Skin** Prolonged contact can cause skin disorders.

**Ingestion** May cause nausea and vomiting.

**Inhalation** Over exposure can cause nausea and vomiting.

#### **Section 4 First Aid Measures**

Eyes Flush with water for a minimum of 15 minutes. Seek medical advice if

pain or irritation develops.

**Skin** Wash thoroughly with soap and water. Remove contaminated

clothing. Seek medical advice if irritation develops.

**Ingestion** If contamination of the mouth occurs, wash out thoroughly with water.

DO NOT INDUCE VOMITING. Seek medical advice.

**Inhalation** Remove to fresh air. Seek medical advice.

### **Section 5 Fire Fighting Measures**

Flammability Flammable Combustibility Combustible

**Extinguishing Medium** Use foam, dry powder, CO<sub>2</sub>, or water fog.

**Special Fire Fighting Procedures** Use water to cool drums. Wear breathing apparatus. **Products of Combustion** Mainly oxides of carbon with minor unidentified organic

compounds.

# John Rothery (Wholesale) Ltd

Parker-Hale Express Gun Oil

#### **Section 6 Accidental Release Measures**

**Personal Precautions** If the operation is such that prolonged or repeated contact may

reasonably be expected, suitable protective clothing, including gloves of an appropriate standard, and chemical goggles should be worn.

Respiratory protection is not required.

Spilt product presents a significant slip hazard.

**Environmental Precautions** 

Prevent entry into drains, sewers and water courses. Decontamination Procedures Soak up with inert absorbent material (eg sand), sweep into

a suitable container for disposal.

### **Section 7 Storage and Handling**

Keep containers tightly closed.

Store drums in dry conditions protected from frost and elevated

temperatures.

Avoid sources of ignition.

Store in original containers or in mild steel drums or high density polypropylene containers which are closable and clearly labelled.

A bunded storage area maybe required.

Compatible with most metals. Store at ambient temperatures.

#### **Section 8 Exposure Control & Personal Protection**

This product does not have an Established Occupational Standard **Exposure Limits** 

> (OES) or maximum Exposure Limit (MEL). However it contains mineral oil which has an 8 Hour TWA of 5 mg/m<sup>3</sup> and a STEL of

10 mg/m<sup>3</sup>.

Wear safety goggles when handling this product. **Eves** 

Skin Avoid frequent or prolonged contact with the skin. Wear suitable

aloves.

Inhalation Ensure area is well ventilated.

**Industrial Hygiene** Adopt good working practices and personal hygiene standards.

Wash hands after use, before eating, drinking or smoking, and before

and after the toilet. Contaminated clothing should be laundered

before reuse.

### **Section 9 Physical and Chemical Properties**

**Physical state** liquid

Colour clear straw coloured

Odour slight (mm<sup>2</sup>s<sup>-1</sup>) **Viscosity** 17.5 - 21.5**Autoignition Temp** (°C) > 250 **Boiling Point** (°C) > 200 **Pour Point** (°C) <-5 **Explosive Limits** Upper % N/a Lower %

N/a kg/m³ 855 - 870

Density @ 20°C Solubility in water insoluble

Other data Please note these properties do not constitute a specification

#### John Rothery (Wholesale) Ltd

Parker-Hale Express Gun Oil

### Section 10 Stability & Reactivity

**Stability** Stable

Conditions to Avoid Temperature extremes

Materials to Avoid Strong oxidising materials

Hazardous Combustion Products None

Hazardous Decomposition Products Irritant fumes. Do not breath products of

decomposition

Hazardous Polymerisation Will not occur.

#### **Section 11 Toxicological Information**

The following toxicological assessment is based on a knowledge of the toxicity of the products components. Estimated oral  $LD_{50}$  rat >2g/kg

**Health Effects** 

**Eyes** May cause transient irritation.

**Skin** Unlikely to cause harm on brief or occasional contact.

**Inhalation** Unlikely to happen.

**Ingestion** May cause nausea, vomiting and diarrhoea.

### **Section 12 Ecological Information**

**Environmental Assessment** No environmental assessment has been undertaken. Due to

the small volumes in use. It is unlikely to cause significant ecological damage. It must be used and disposed of as recommended in this

data sheet.

**Mobility** Mobile

Persistence & Degradability Persistent, inherently but not readily biodegradable

**Bioaccumulative Potential** N/D

# **Section 13 Disposal considerations**

Place used and contaminated materials/packaging in suitable containers. Dispose of using a licensed waste disposal company (Environmental Protection Act 1990 – section 34(7)) and/or in accordance with local regulations.

## **Section 14 Transport Information**

This product is not considered dangerous for transport.

# **Packaging Group**

# **Section 15 Regulatory Information**

Dangerous PropertiesNoneLabel for SupplyNoneRisk PhrasesNoneSafety PhrasesNone

# John Rothery (Wholesale) Ltd Parker-Hale Express Gun Oil

### **Section 16 Other Information**

Other materials should not be added to this product unless recommended.

If you have purchased this product for supply, to a third party, for use at work it is your duty to take all necessary steps to ensure that any person handling or using the product is provided with the information within this sheet.

If you are an employer, it is your duty to tell your employees and others, that maybe affected by the hazards described in this sheet, of any precautions that should be taken.

Legislation and other sources have been used in the compilation of this safety data sheet.

Emergency Telephone	02392 245350		
Issue Date	30/06/12	Revision	4